



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN FLORIDA

Heritage Fungicide®

EPA Reg. 100-1093

EPA SLN No. FL-110011

Control of Basil Downy Mildew (*Peronospora belbahrii*) in Basil in
Transplants Grown for Re-sale to Consumers

Active Ingredient:

Azoxystrobin: methyl (E)-2-{2-[6-(2-cyanophenoxy) pyrimidin- 4-yloxy]phenyl} -3- methoxyacrylate*	50%
---	-----

Other Ingredients:	50%
--------------------	-----

Total:	100%
--------	------

Contains 0.5 lb ai/product

*IUPAC

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with all applicable directions, restrictions, and precautions found in the labeling of the federally registered product and accompanying supplemental labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standard, on the EPA-registered Heritage Fungicide label.

This label must be in the possession of the user at the time of application.

Specific Use Directions

Plug Production*

Apply 0.9 oz/5000 sq. ft. (8 oz/A) to emerged plants in plug production trays prior to disease development. Apply uniformly to foliage using a minimum of 3.4 gallons of water/5000 sq. ft. (30 gallons/A). Make no more than one application during the plug production phase. Follow the Heritage application with alternative chemistries on a weekly schedule implementing a preventative integrated disease management program.

Finish Production**

Apply 0.9 oz/5000 sq. ft. (8 oz/A) to plants following transplant of plugs to trays, pots or containers in which plants are grown to finish. Apply uniformly to foliage using a minimum of 3.4 gallons of water/5000 sq. ft. (30 gallons/A). Make no more than one application during the finish production phase. Follow the Heritage application with alternative chemistries on a weekly schedule implementing a preventative integrated disease management program.

Specific Use Restrictions:

1. Do not apply more than 1.5 lb. a.i./A per season of azoxystrobin-containing products.
2. May be applied the day of harvest (0-day PHI).

* Plug production refers to the production of a young plant grown from seed in a multi-celled germination tray for a short period of time. After growing to a desired size, the plug is then transplanted in a larger pot or container to grow to a larger size suitable to sell.

** Finish production refers to the production of a finished plant grown to a desired size suitable to sell in a garden center, large format retailer, or other retailers selling plants to consumers for home and garden plantings.

Heritage[®] registered trademark of a Syngenta Group Company
© 2012 Syngenta

24(c) Registrant:
Syngenta Crop Protection, LLC.
Greensboro, North Carolina 27419

FL1093061AA0212